


New Streampix 6 Digital Video Recording Software



Applications:

- Motion Analysis
- Sports Finish Line
- Life Science
- Military
- Troubleshooting
- Asset Mapping

Features:

- Real time video recording to hard disk or RAM at over 2.6 Ghz/second.*
- Acquire in monochrome or color, from GigE Vision, analog, digital, CoaXPress, CameraLink and USB 3.0 cameras.*
- Acquire video as AVI, MOV, uncompressed or compressed with any Windows or Apple compatible CODEC installed.*
- VCR style controls: Record, Play, Rewind, Fast-Forward, Stop and Pause.
- Export images as BMP, TIFF, multi-TIFF, JPEG, PNG, FITS, AVI, MOV.
- Time Stamps with LTC, IRIG B and GPS coordinates.
- Color balance, histogram and other real time image processing functions.
- Supports a wide selection of frame grabbers and cameras.
- For Windows Vista and Windows 7 and 8 (32 and 64 bits).

*Depending on hardware configuration.



(..cont'd) **Features:**

- ◆ Time lapse video acquisition.
- ◆ Use off the shelf hardware technology.
- ◆ Record Audio.
- ◆ Add time stamps, text comments or bitmap images as overlays on each image.
- ◆ Continuous video lap recording.
- ◆ Window leveling.
- ◆ Bayer Conversion.
- ◆ Trigger on event or level.
- ◆ Recording script.

New DAQ module:

- ◆ Record DAQ, analog data from digital or analog boards.
- ◆ Acquired data displayed with customizable data graphs.
- ◆ Playback synchronized video with DAQ, audio.
- ◆ Export DAQ files to standard .csv files for post processing.

New DMI Module:

- ◆ Synchronize image capture rates for multiple cameras using the received information from a Pulse Distance Interval device.

New Batch Processor module:

- ◆ Stand alone batch processing module.
- ◆ Automate batch processing.
- ◆ Convert to AVI, TIFF, JPEG, BMP and MOV.

New CUDA JPEG compression:

- ◆ Compress to JPEG in real time using NVIDIA GPU.
- ◆ Adjust JPEG compression between 0 to 100% quality.
- ◆ Monochrome or color image format.



StreamPix 6 Modules:

- ◆ **BWave Audio Recording:** Multi-layered audio recording synchronized.
- ◆ **Motion Detection:** Detect motion or change main image to generate a trigger.
- ◆ **Color Remapping LUT:** LUT Transformations.
- ◆ **PrePost Module:** Record before and after an event.
- ◆ **Pulse Generator Module for triggering:** Synchronize multiple cameras simultaneously.
- ◆ **ATS: Accurate Time Source.**
- ◆ **TV out: Secondary full screen.**
- ◆ **LTC: Time stamping for audio and video.**

Hermes API and Module SDK.:

- ◆ **StreamPix is built upon the Hermes API.**
- ◆ **The API is a set of easy to use C++ or .NET libraries.**
- ◆ **Modules for grabbing, scripting, exporting (BMP, JPEG, TIFF, PNG, AVI), recording & playback of sequence files, display and more.**
- ◆ **Available with StreamPix supported cameras and frame grabbers.**
- ◆ **Get started fast with extensive documentation, demos & sample projects.**
- ◆ **Program input/output data from third-party sources such as outside temperature, atmospheric pressure or GPS positioning along and in sync with your images in a sequence.**
- ◆ **Visual C++ compatible.**
- ◆ **Custom development services available.**



Turnkey Systems: StreamPix Recording Station 2.6 GBytes /sec



Features:

- ◆ Record up to 2.6 Gigabytes/second.
- ◆ 1200 x 1200 x 1000 fps to disk.
- ◆ Up to 1696 x 1710 x 540 fps to disk.
- ◆ Cameralink, CoaXPress, USB3, GigE cameras.
- ◆ Single or multiple cameras at up to 16 cameras per PC.

NorPix, Inc.
1751 Richardson St., Suite 6117,
Montreal (QC) H3K 1G6 Canada
Tel: (514) 846-0009 x 22
Fax: (514) 846-0117
E-mail: sales@norpix.com

NORPIX
Digital Video Recording Software



www.norpix.com